



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/785,008	02/25/2004	Ho Gyeong Yun	123034-05004911	9730
43569	7590	02/06/2006	EXAMINER	
MAYER, BROWN, ROWE & MAW LLP 1909 K STREET, N.W. WASHINGTON, DC 20006			PENG, CHARLIE YU	
			ART UNIT	PAPER NUMBER
			2883	

DATE MAILED: 02/06/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/785,008

Applicant(s)

YUN ET AL.

Examiner

Charlie Peng

Art Unit

2883

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 23 November 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,3,5,7,9,11,13 and 15 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,3,5,7,9,11,13 and 15 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 25 February 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

Response to Arguments

Applicant's arguments with respect to amended claims 1, 3, 5, 7, 9, 11, 13, and 15 have been considered but are moot in view of the new ground(s) of rejection. New subject matter disclosed in the amended claims is addressed below with reference to Fig. 1(b) of Suzuki.

Priority

If applicant desires to claim the benefit of a prior-filed application under 35 U.S.C. 119(e), a specific reference to the prior-filed application in compliance with 37 CFR 1.78(a) must be included *in the first sentence(s) of the specification following the title or in an application data sheet*. For benefit claims under 35 U.S.C. 120, 121 or 365(c), the reference must include the relationship (i.e., continuation, divisional, or continuation-in-part) of the applications.

If the instant application is a utility or plant application filed under 35 U.S.C. 111(a) on or after November 29, 2000, the specific reference must be submitted during the pendency of the application and within the later of four months from the actual filing date of the application or sixteen months from the filing date of the prior application. If the application is a utility or plant application which entered the national stage from an international application filed on or after November 29, 2000, after compliance with 35 U.S.C. 371, the specific reference must be submitted during the pendency of the application and within the later of four months from the date on which the national stage commenced under 35 U.S.C. 371(b) or (f) or sixteen months from the filing date of the

Art Unit: 2883

prior application. See 37 CFR 1.78(a)(2)(ii) and (a)(5)(ii). This time period is not extendable and a failure to submit the reference required by 35 U.S.C. 119(e) and/or 120, where applicable, within this time period is considered a waiver of any benefit of such prior application(s) under 35 U.S.C. 119(e), 120, 121 and 365(c). A benefit claim filed after the required time period may be accepted if it is accompanied by a grantable petition to accept an unintentionally delayed benefit claim under 35 U.S.C. 119(e), 120, 121 and 365(c). The petition must be accompanied by (1) the reference required by 35 U.S.C. 120 or 119(e) and 37 CFR 1.78(a)(2) or (a)(5) to the prior application (unless previously submitted), (2) a surcharge under 37 CFR 1.17(t), and (3) a statement that the entire delay between the date the claim was due under 37 CFR 1.78(a)(2) or (a)(5) and the date the claim was filed was unintentional. The Director may require additional information where there is a question whether the delay was unintentional. The petition should be addressed to: Mail Stop Petition, Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450.

If the reference to the prior application was previously submitted within the time period set forth in 37 CFR 1.78(a), but not in the first sentence(s) of the specification or an application data sheet (ADS) as required by 37 CFR 1.78(a) (e.g., if the reference was submitted in an oath or declaration or the application transmittal letter), and the information concerning the benefit claim was recognized by the Office as shown by its inclusion on the first filing receipt, the petition under 37 CFR 1.78(a) and the surcharge under 37 CFR 1.17(t) are not required. Applicant is still required to submit the reference

Art Unit: 2883

in compliance with 37 CFR 1.78(a) by filing an amendment to the first sentence(s) of the specification or an ADS. See MPEP § 201.11.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1, 3, 5, 7, 9, 11, 13, and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. PGPub 2002/0146227 to Suzuki et al. Suzuki et al. teaches an optical collimator module **100** that has a base member **104** (i.e., a bottom surface) with two holding members **103**, **103'** (i.e., two outer walls), the two holding members **103**, **103'** each has a hole (as indicated by the dashed lines **130**, **130'** on included drawing Fig. 1(a) having additional labels by the examiner) with optical collimators **101**, **101'** and optical cables **102**, **102'** inserted therein, and wherein the three members form a U-shape. (See at least Fig. 1 and its description.) Although Suzuki et al. do not specifically place an optical device on the bottom surface, combining such a part is obvious and also disclosed in review of prior art by Suzuki et al., wherein an optical functional component **205**, in a similar U-shaped optical collimator module, is placed in a beam path **106** between two collimators/fiber cables. It would therefore have been obvious to one of ordinary skill in the art at the time the invention was made to place a functional optical component in the optical module by Suzuki et al. The motivation would be to enable optical functions such as switching (via a filter, a mirror, etc.), optical

Art Unit: 2883

signal receiving (via a photodiode), or optical signal transmitting (via a laser, an LED, etc.)




FIG. 1 (a)

Suzuki does not specifically state that the two outer walls **103 103'** are of different sizes, Fig. 1(b) appears to show that the two outer walls **103 103'** at least slightly different in size as screws **107 108** are placed between the outer wall **103** and the bottom surface. Even if the two outer walls are possibly of the same size as applicant alleged, it would have been an obvious engineering or desirability choice for one of ordinary skill in the art to make the outer wall **103** slightly smaller in size as its height can be compensated and adjusted by the screws **107 108**, since such a modification would have involved a mere change in the size of the component. A change in size is generally recognized as being within the level of ordinary skill in the art. In re Rose, 105 USPQ 237 (CCPA 1955). The motivation would be to create a device whose outer walls are flush (in height) for aesthetic effect.




FIG. 1 (b)

With specific reference to claim 5, a collimator is known in the art as a lens.

With specific reference to claim 7, Suzuki et al. teaches stainless steel to be a preferred material for making the base and holding members. (See at least [0047])

With specific reference to claims 9 and 11, Suzuki et al. teach a ring **140** encircling the first collimator **101**. The ring is also outlined by dashed lines **141** and placed within a hole **160** of an outer wall **111** of the base member **104**. The hole **160** is substantially different in shape (square) and size from a second hole, in which the second collimator **101'** is inserted. (See at least included drawing Figs. 4(a) and 4(b) having additional labels by the examiner and description.) A space **150** exists inside the hole **160**, wherein alignment of the collimator **101** can be made by adjusting screws **112**.

With specific reference to claim 13, Suzuki et al. teaches an outer wall **110** having a protrusive part at its bottom end so that the protrusive part can be inserted into a channel **109**. (See at least Fig. 3(b) and description.)




FIG. 4 (a)

FIG. 4 (b)

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any

Art Unit: 2883


extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charlie Peng whose telephone number is (571) 272-2177. The examiner can normally be reached on 9 am - 6 pm M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Frank Font can be reached on (571) 272-2415. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Charlie Peng
January 26, 2006



Brian Healy
Primary Examiner